Translated English of Chinese Standard: GB17915-2013

www.ChineseStandard.net → Buy True-PDF → Auto-delivery.

Sales@ChineseStandard.net

GB

NATIONAL STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

ICS 13.300

A 87

GB 17915-2013

Replacing GB 17915-1999

Specifications for Storage and Preservation of Corrosive Goods

腐蚀性商品储存养护技术条件

Issued on: December 17, 2013 Implemented on: July 1, 2014

Issued by: General Administration of Quality Supervision, Inspection and Quarantine:

Standardization Administration of the People's Republic of China.

Table of Contents

Foreword	3
1 Scope	4
2 Normative References	4
3 General Test Conditions	4
4 Storage Conditions	4
5 Storage Requirements	6
6 Preservation Technology	8
7 Safe Operation	9
8 Exit-warehouse	10
9 Emergency Treatment	10
Appendix A (normative) Table of Performance Offset of Dangerous Che	mical
Goods in Mixed Storage	11
Appendix B (informative) Fire Extinguishing Methods of Some Corrosive G	oods
	15
Appendix C (informative) First-aid Methods of Some Corrosive Goods	17
Bibliography	19

Specifications for Storage and Preservation of Corrosive Goods

1 Scope

This Standard specifies the terms and definitions of specifications for storage and preservation of corrosive goods, as well as the storage conditions, storage requirements, preservation technology, safe operation, exit-warehouse and emergency treatment requirements.

This Standard is applicable to storage and preservation of goods defined in 3.1.

2 Normative References

The following documents are indispensable to the application of this document. In terms of references with a specified date, only versions with a specified date are applicable to this document. In terms of references without a specified date, the latest version (including all the modifications) is applicable to this document.

GB 6944-2012 Classification and Code of Dangerous Goods

GB 15258 General Rules for Preparation of Precautionary Label for Chemicals

GB 50016 Code for Fire Protection Design of Buildings

GB 50046 Standard for Anticorrosion Design of Industrial Constructions

3 General Test Conditions

The following terms and definitions are applicable to this document.

3.1 Corrosive Goods

Corrosive goods refer to the substances that, through chemical action, cause severe damage when biological tissues are in contact, or, seriously damage or even destroy other goods or vehicles in case of leakage.

NOTE: the classification of dangerous goods in 4.9.1 in GB 6944-2012 is modified.

4 Storage Conditions

4.1 Warehouse

- **4.1.1** Warehouse shall be cool, dry, well-ventilated and kept away from the light. It shall receive anti-corrosion and anti-leakage treatment. The constructions of warehouse shall comply with the stipulations of GB 50046.
- **4.1.2** Warehouse that stores fuming nitric acid, bromine and perchloric acid shall be dry and well-ventilated. The fire resistance requirements shall comply with the stipulations of GB 50016; the fire resistance level shall be not lower than Level-2.
- **4.1.3** Hydrobromic acid and hydroiodic acid shall be kept away from light. Bromine shall be specially stored.

4.2 Goods Shed and Open-air Yard

Goods shed shall be dry and clean. Open-air yard shall be moisture-proof and waterproof.

4.3 Safety

- **4.3.1** Corrosive goods shall avoid direct sunlight and exposure to the sun, and be kept away from heat source, power and fire source. Warehouse constructions and various equipment shall comply with the stipulations of GB 50016.
- **4.3.2** Corrosive goods shall be classified and stored in accordance with different categories, natures, degrees of danger and fire extinguishing methods, etc. Corrosive goods whose natures and fire extinguishing methods are counterbalanced shall not be stored in the same warehouse, as it is shown in Appendix A.
- **4.3.3** Emergency treatment facilities, for example, eyewash equipment, shall be installed in the warehouse area.

4.4 Environment

- **4.4.1** Warehouse shall be kept clean.
- **4.4.2** The debris and flammable substances in the warehouse area shall be cleaned up in time. The water drainage shall be kept unblocked.

4.5 Temperature and Humidity

Temperature and humidity shall comply with the stipulations in Table 1.

5.1.2 Acceptance inspection items

5.1.2.1 Packaging

- **5.1.2.1.1** Packaging label shall comply with the stipulations of GB 15258.
- **5.1.2.1.2** The packaging shall be tightly sealed, intact and free from moisture or contamination.
- **5.1.2.1.3** The packaging and container liner shall be proper, safe and firm.

5.1.2.2 Senses

- **5.1.2.2.1** The properties, color, viscosity and transparency of goods shall comply with relevant product standards.
- **5.1.2.2.2** Liquid goods shall have no abnormal color or leakage.
- **5.1.2.2.3** Solid goods shall have no discoloration, deliquescence or dissolution.

5.1.3 Acceptance inspection

- **5.1.3.1** Two-person review system shall be implemented.
- **5.1.3.2** The acceptance inspection shall comply with the stipulations of 5.1.1 and 5.1.2.
- **5.1.3.3** In terms of qualified goods, go through the warehouse-entry procedures; fill in acceptance inspection record.

5.2 Stacking

5.2.1 Principle

The stacking of goods shall be convenient for stacking, inspection and fire extinguishing. The stacks shall be neat.

5.2.2 Method

- **5.2.2.1** In terms of goods stored in warehouses, goods sheds or open-air yards, there shall be moisture barrier facilities under the stack. Generally speaking, the distance between the shelf and the warehouse ground is not lower than 15 cm; the distance between the stacking and the ground is not lower than 30 cm.
- **5.2.2.2** In accordance with the nature and the packaging specifications of goods, adopt appropriate stacking methods. It is required that the stacks shall be neat, the stacking shall be firm, and the quantity shall be accurate. Avoid turning the stacks upside down.
- **5.2.2.3** In accordance with the warehouse-entry order or the batch No., respectively stack.

day; clean up flammable substances in time. Maintain the firmness of the stacking; ensure that there is no abnormality or leakage.

- **6.2.1.2** In case of special weather, check in time whether the goods are affected with damp and whether the tonnage pads in the yard are tight.
- **6.2.1.3** Regularly inspect whether the facilities, fire extinguishing equipment and protective equipment in the warehouse are complete and effective.

6.2.2 Quality inspection

- **6.2.2.1** In accordance with the nature of goods, regularly conduct sensory quality inspection; randomly inspect 1 ~ 2 PCS of each variety of product.
- **6.2.2.2** Check the product packaging, sealing and gaskets for damage, leakage and appearance changes.
- **6.2.2.3** In terms of goods under warehouse-entry measurement, conduct inspection at a certain time interval; calculate the storage loss.

6.2.3 Problem handling

- **6.2.3.1** The results of the inspection shall be recorded item by item; marked on the external packaging of the product.
- **6.2.3.2** If problems are found, preventive and controlling measures shall be taken; the goods-storing side shall be informed to deal with the problems in a timely manner. Meanwhile, the goods shall not exit the warehouse as normal commodities.
- **6.2.3.3** In terms of goods that are close to the expiration date, a reminder shall be filled out and submitted to the goods-storing side.

7 Safe Operation

- **7.1** Operating personnel shall hold Post Qualification Certificate on the preservation of corrosive goods.
- **7.2** During the operation, operating personnel shall wear protective clothing, goggles, rubber-impregnated gloves and other protective equipment, and achieve the follows:
 - a) During the operation, handle the goods with care, so as to prevent frictions, shocks and impacts;
 - Machines and tools that are contaminated with foreign objects, or, machines and tools that could generate sparks shall not be used. The working site shall be kept away from heat and fire sources;

Appendix C

(informative) First-aid Methods of Some Corrosive Goods

C.1 Strong Acid

Skin contact: use plenty of water for rinsing, or, use baking soda and soapy water for rinsing; if necessary, apply ointment. Splashing into eyes: use lukewarm water for rinsing, then, use 5% baking soda solution or boric acid for rinsing. Entry into mouth: immediately use plenty of water to rinse the mouth; take plenty of cold boiled water to induce vomiting, or, use magnesium oxide suspension for gastric lavage. In case of respiratory poisoning, immediately transfer to fresh air; maintain body temperature; if necessary, inhale oxygen; send to the hospital for treatment.

C.2 Strong Alkali

Skin contact: use plenty of water for rinsing, or, use boric acid water and diluted acetic acid for rinsing, then, apply zinc oxide ointment. Splashing into eyes: use lukewarm water for rinsing. In case of respiratory poisoning (ammonium hydroxide), transfer to fresh air; send to the hospital for treatment.

C.3 Hydrofluoric Acid

Skin contact or eye contact: immediately use clean water for rinsing for over 20 min, then, dip with diluted ammonia water to keep it warm; send to the hospital for treatment.

C.4 Perchloric Acid

Skin contact: use plenty of lukewarm water and soapy water for rinsing. Splashing into eyes: use lukewarm water or diluted borax water for rinsing; send to the hospital for treatment

C.5 Chromium Chloride

Skin injury: use plenty of water for rinsing, then, use sodium thiosulfate to cover the wound; send to the hospital for treatment.

C.6 Chloro-sulfonic Acid

Skin injury: use water for rinsing, then, use baking soda solution for rinsing. In addition, use glycerin and magnesium oxide to moisten the bandage; bandage the wound; send to the hospital for treatment.

C.7 Bromine (bromine solution)

This is an excerpt of the PDF (Some pages are marked off intentionally)

Full-copy PDF can be purchased from 1 of 2 websites:

1. https://www.ChineseStandard.us

- SEARCH the standard ID, such as GB 4943.1-2022.
- Select your country (currency), for example: USA (USD); Germany (Euro).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Tax invoice can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with download links).

2. https://www.ChineseStandard.net

- SEARCH the standard ID, such as GB 4943.1-2022.
- Add to cart. Only accept USD (other currencies https://www.ChineseStandard.us).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with PDFs attached, invoice and download links).

Translated by: Field Test Asia Pte. Ltd. (Incorporated & taxed in Singapore. Tax ID: 201302277C)

About Us (Goodwill, Policies, Fair Trading...): https://www.chinesestandard.net/AboutUs.aspx

Contact: Wayne Zheng, Sales@ChineseStandard.net

Linkin: https://www.linkedin.com/in/waynezhengwenrui/

----- The End -----