

Translated English of Chinese Standard: GB1886.312-2020

www.ChineseStandard.net → Buy True-PDF → Auto-delivery.

Sales@ChineseStandard.net

GB

NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA

GB 1886.312-2020

National food safety standard - Food additive - Chitin

食品安全国家标准 食品添加剂 甲壳素

Issued on: September 11, 2020

Implemented on: March 11, 2021

**Issued by: National Health Commission of the People's Republic of China;
State Administration for Market Regulation.**

Table of Contents

1 Scope.....	3
2 Molecular formula and structural formula.....	3
3 Technical requirements	3
Annex A Inspection methods.....	5


National food safety standard - Food additive - Chitin

1 Scope

This Standard is applicable to the food additive chitin that uses shrimp shells, crab shells, horseshoe crab shells, squid bones, mullet bones as main raw materials and is processed through decalcification and deproteinization.


2 Molecular formula and structural formula

2.1 Molecular formula



n: degree of polymerization, 1000~3000

2.2 Structural formula



3 Technical requirements

3.1 Sensory requirements

Sensory requirements shall meet the requirements of Table 1.

Annex A

Inspection methods

A.1 General

Unless otherwise specified in this Standard, the purity of the reagents used shall be above the analytical purity. The standard titration solution used, standard solution for impurity determination, preparations and products shall be prepared in accordance with the provisions of GB/T 601, GB/T 602, and GB/T 603. The test water shall meet the requirements of grade 3 water in GB/T 6682. The solution used in the test refers to an aqueous solution when it is not specified which solvent is used for preparation.

A.2 Identification test

A.2.1 Reagents and materials

A.2.1.1 1% acetic acid solution: Measure 1.0mL of acetic acid. Use water to set volume to 100mL.

A.2.1.2 Sulfuric acid.

A.2.1.3 Hydrochloric acid.

A.2.1.4 0.2% anthrone sulfuric acid solution: Weigh 0.2g of anthrone, to the nearest of 0.01g. Dissolve in 100mL of sulfuric acid. Prepare when it is required.

A.2.1.5 Sodium hydroxide solution: 1mol/L.

A.2.1.6 Citric acid solution: 0.1mol/L.

A.2.1.7 Trisodium citrate solution: 0.1mol/L.

A.2.1.8 Citric acid-trisodium citrate buffer (pH 5.0): Respectively measure 16.4mL of citric acid solution (0.1mol/L) and 23.6mL of trisodium citrate solution (0.1mol/L). Mix well. If the pH of the solution deviates, it needs to be adjusted to pH 5.0.

A.2.1.9 Ethylene glycol monomethyl ether.

A.2.1.10 Ninhydrin solution: Weigh 1.0g of ninhydrin, to the nearest of 0.01g. Add 25mL of ethylene glycol monomethyl ether and 25mL of citric acid-trisodium citrate buffer. Mix well.

A.2.2 Identification method

This is an excerpt of the PDF (Some pages are marked off intentionally)

Full-copy PDF can be purchased from 1 of 2 websites:

1. <https://www.ChineseStandard.us>

- SEARCH the standard ID, such as GB 4943.1-2022.
- Select your country (currency), for example: USA (USD); Germany (Euro).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Tax invoice can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with download links).

2. <https://www.ChineseStandard.net>

- SEARCH the standard ID, such as GB 4943.1-2022.
- Add to cart. Only accept USD (other currencies - <https://www.ChineseStandard.us>).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with PDFs attached, invoice and download links).

Translated by: Field Test Asia Pte. Ltd. (Incorporated & taxed in Singapore. Tax ID: 201302277C)

About Us (Goodwill, Policies, Fair Trading...): <https://www.chinesestandard.net/AboutUs.aspx>

Contact: Wayne Zheng, Sales@ChineseStandard.net

Linkin: <https://www.linkedin.com/in/waynezhengwenrui/>

----- The End -----