

Translated English of Chinese Standard: GB/T2423.48-2018

www.ChineseStandard.net → Buy True-PDF → Auto-delivery.

Sales@ChineseStandard.net

GB

NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA

ICS 19.040

K 04

GB/T 2423.48-2018 / IEC 60068-2-57:2013

Replacing GB/T 2423.48-2008, GB/T 2423.49-1997

Environmental testing - Part 2: Test methods - Test Ff:

Vibration - Time-history and sine-beat method

环境试验 第2部分:试验方法 试验 Ff:振动 时间历程和正弦拍频法

(IEC 60068-2-57:2013, Environmental testing - Part 2-57: Tests - Test Ff:

Vibration - Time-history and sine-beat method, IDT)

Issued on: December 28, 2018

Implemented on: July 01, 2019

Issued by: State Administration for Market Regulation;

Standardization Administration of the People's Republic of China.

Table of Contents

Foreword.....	4
Introduction.....	6
Figure 1 -- Sequence of five sine beats with five cycles	7
1 Scope	8
2 Normative references.....	8
3 Terms and definitions.....	8
Figure 2 -- Number of cycles per sine beat.....	15
Figure 3 -- Typical time history	15
Figure 4 -- Typical logarithmic plot of a required response spectrum, test response spectrum and tolerance zone.....	16
4 Test requirements and associated parameters.....	16
4.1 General.....	16
4.2 Requirements for testing.....	16
Table 1 -- Comparison of tolerances.....	17
4.3 Vibration response investigation.....	17
4.4 Time-history testing.....	20
4.5 Sine-beat testing.....	21
4.6 Mounting	22
5 Severities.....	23
5.1 General.....	23
5.2 Time history	24
5.3 Test frequency range.....	24
Table 2 -- Recommended test frequency ranges.....	24
5.4 Required response spectrum	24
5.5 Number and duration of time-histories.....	25
Figure 5 -- Typical response of an oscillator excited by a specific time history during a test (70% of specified limit).....	26
5.6 Sine-beat test level.....	26
Table 3 -- Recommended test levels with a crossover frequency of 0.8 Hz (see Figure 6)	27
Figure 6 -- Recommended test level with crossover frequency at 0.8 Hz.....	28
Table 4 -- Recommended test levels with a crossover frequency of 1.6 Hz (see Figure 7)	28
Table 5 -- Recommended test levels with a crossover frequency of 8 Hz (see Figure 8).....	28

Figure 7 -- Recommended test level with crossover frequency at 1.6 Hz	30
Figure 8 -- Recommended test level with crossover frequency at 8 Hz	30
Figure 9 -- Amplification factors of different sine beats, continuous sine and a typical natural time-history	32
6 Preconditioning	32
7 Initial measurements	32
8 Testing	33
8.1 General	33
8.2 Vibration response investigation	33
8.3 Time-history testing	34
8.4 Sine-beat testing	34
8.5 Multi-axis testing	34
9 Intermediate measurements	35
10 Recovery	35
11 Final measurements	35
12 Information to be given in the relevant specification	35
13 Information to be given in the test report	36
Annex A (informative) Guidance for time-history and sine-beat methods	38
Figure A.1 -- Recommended shape of a required response spectrum in generalized form	41
Figure A.2 -- Standardized presentation of matched sine beats of acceleration, velocity and displacement (five cycles within the sine beat of acceleration)	45
Bibliography	46

Foreword

GB/T 2423 “Environmental testing - Part 2” is divided into several parts according to test methods.

This Part is Part 48 of GB/T 2423.

This Part was drafted in accordance with the rules given in GB/T 1.1-2009.

This Part replaces GB/T 2423.48-2008 “Environmental testing for electric and electronic products - Part 2: Test methods - Test Ff: Vibration- Time-history method” and GB/T 2423.49-1997 “Environmental testing for electric and electronic products Part 2: Test methods Test Fe: Vibration-sine-beat method”. Compared with GB/T 2423.48-2008 and GB/T 2423.49-1997, in addition to editorial modifications, the main technical changes are as follows:

- combined the contents of GB/T 2423.48-2008 and GB/T 2423.49-1997; rearranged the structure of this Part;
- deleted GB/T 2423.5-1995, ISO 266:1997 and ISO 2041:1990, GB/T 2298-1991 as references;
- noted the sources of the terms and definitions; modified some definitions and explained the modification;
- modified the definition for “damping”; added the terms “viscous damping”, “high stress cycles”, “natural time history”; added the note of the term “signal tolerance”; deleted the terms "response peak", "random motion sample", "sampling frequency", "distortion", and "strong part of the specified response spectrum";
- modified the content of “general requirements”;
- modified the content of “test frequency range”;
- added the requirements for test tolerance;
- deleted “parasitic movement”; separated the concepts of "lateral motion" and "rotational motion";
- modified “signal tolerance” and “vibration amplitude tolerance”;
- deleted "calculation of test response spectrum";
- modified "number of response high peaks", "vibration response check" and "time history test";
- deleted Annex B “Test frequency range” of GB/T 2423.48-2008;

- modified Annex A “Guidelines” of GB/T 2423.49-1997;
- added Clause 13 "Information to be given in the test report".

This Part uses translation method to identically adopt IEC 60068-2-57:2013 “Environmental testing - Part 2-57: Tests - Test Ff: Vibration - Time-history and sine-beat method”.

The Chinese documents which have consistency with the international normative references in this Part are as follows:

- GB/T 2421.1-2008, Environmental Testing for Electric and Electronic products - General and Guidance (IEC 60068-1:1998, IDT);
- GB/T 2423.10-2008, Environmental testing for electric and electronic products - Part 2: Tests methods - Test Fc: Vibration (sinusoidal) (IEC 60068-2-6:1995, IDT);
- GB/T 2424.26-2008, Environmental testing - Supporting documentation and guidance - Selecting amongst vibration tests (IEC 60068-3-8:2003, IDT);
- GB/T 2423.56-2018, Environmental testing - Part 2: Test methods - Test Fh: Vibration, broadband random and guidance (IEC 60068-2-64:2008, IDT).

For ease of use, this Part made the following editorial changes:

- the name of this Part is modified to “Environmental testing - Part 2: Test methods - Test Ff: Vibration - Time-history and sine-beat method”.

This Part was proposed by and shall be under the jurisdiction of National Technical Committee on Environmental Conditions and Environmental Tests of Electrical and Electronic Products of Standardization Administration of China (SAC/TC 8).

The drafting organizations of this Part: The Fifth Electronic Research Institute of the Ministry of Industry and Information Technology, Chongqing Saibao Industrial Technology Research Institute, Wuhu Saibao Information Industry Technology Research Institute Co., Ltd.

Main drafters of this Part: Xie Zhangyong, Zhouyang Hongsheng, Yangchuan, Hou Weiguo.

Versions of standard substituted by this Standard are:

- GB/T 2423.48-1997, GB/T 2423.48-2008;
- GB/T 2423.49-1997.

Environmental testing - Part 2: Test methods - Test Ff: Vibration - Time-history and sine-beat method

1 Scope

This Part of GB/T 2423 provides a standard procedure for determining, by the time-history and sine-beat methods, the ability of a specimen to withstand specified severities of transient vibration.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

GB/T 2424.25-2000, *Environmental testing for electric and electronic products Part 3: Test guidance Seismic test methods* (IEC 60068-3-3:1991, IDT)

GB/T 2423.43-2008, *Environmental testing for electric and electronic products - Part 2: Test methods - Mounting of specimens for vibration impact and similar dynamic tests* (IEC 60068-2-47:2005, IDT)

IEC 60068 (all parts), *Environmental testing*

IEC 60068-1, *Environmental testing - Part 1: General and guidance*

IEC 60068-2-6:2007, *Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)*

IEC 60068-2-64:2008, *Environmental testing - Part 2-64: Tests - Vibration, broadband random and guidance*

IEC 60068-3-8, *Environmental testing - Part 3-8: Supporting documentation and guidance - Selecting amongst vibration tests*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE: Some of the following terms can be found in ISO 2041 ^[4], IEC 60068-1 or in IEC 60068-2-6. Where, for the convenience of the reader, a definition from one of those sources is included

This is an excerpt of the PDF (Some pages are marked off intentionally)

Full-copy PDF can be purchased from 1 of 2 websites:

1. <https://www.ChineseStandard.us>

- SEARCH the standard ID, such as GB 4943.1-2022.
- Select your country (currency), for example: USA (USD); Germany (Euro).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Tax invoice can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with download links).

2. <https://www.ChineseStandard.net>

- SEARCH the standard ID, such as GB 4943.1-2022.
- Add to cart. Only accept USD (other currencies - <https://www.ChineseStandard.us>).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with PDFs attached, invoice and download links).

Translated by: Field Test Asia Pte. Ltd. (Incorporated & taxed in Singapore. Tax ID: 201302277C)

About Us (Goodwill, Policies, Fair Trading...): <https://www.chinesestandard.net/AboutUs.aspx>

Contact: Wayne Zheng, Sales@ChineseStandard.net

Linkin: <https://www.linkedin.com/in/waynezhengwenrui/>

----- The End -----