

Translated English of Chinese Standard: GB/T28817-2022

www.ChineseStandard.net → Buy True-PDF → Auto-delivery.

Sales@ChineseStandard.net

GB

NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA

ICS 27.070

CCS K 82

GB/T 28817-2022 / IEC/TS 62282-7-1:2017

Replacing GB/T 28817-2012

**Single cell test methods for polymer electrolyte fuel cell
(PEFC)**

聚合物电解质燃料电池单电池测试方法

[IEC/TS 62282-7-1:2017, Fuel cell technologies - Part 7-1: Test methods - Single cell
performance tests for polymer electrolyte fuel cells (PEFC), IDT]

Issued on: March 09, 2022

Implemented on: October 01, 2022

Issued by: State Administration for Market Regulation;

Standardization Administration of the PRC.

Table of Contents

Foreword	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 General safety considerations	12
5 Cell components	12
5.1 General	12
5.2 Membrane electrode assembly (MEA)	13
5.3 Gasket	13
5.4 Flow plate	13
5.5 Current collector	13
5.6 Clamping plate (pressure plate)	14
5.7 Clamping hardware	14
5.8 Temperature-control device	14
6 Cell assembly	15
6.1 Assembly procedure	15
6.2 Cell orientation and gas connections	15
6.3 Gas tightness check	15
7 Test station	16
7.1 Minimum equipment requirement	16
7.2 Schematic diagram	16
7.3 Maximum variation in test station controls (inputs to test)	17
8 Measurement	18
8.1 Instrument accuracy	18
8.2 Measuring instruments and measuring methods	18
8.3 Measurement units	21
9 Gas composition	21
9.1 Fuel composition	21
9.2 Oxidant composition	22
10 Test preparation	22
10.1 Standard test conditions	22
10.2 Ambient conditions	23
10.3 Data sampling rate	23
10.4 Repeatability and reproducibility	23
10.5 Number of test samples	23
10.6 Gas tightness check of gas circuit with inert or test gas	23
10.7 Initial conditioning and stable state check	23

10.8 Shutdown	24
10.9 Reconditioning.....	24
11 Basic performance test methods.....	24
11.1 General.....	24
11.2 Polarization curve tests	25
11.3 Steady-state test	27
11.4 Long-term operation test.....	27
11.5 Voltammetry	28
11.6 IR measurement	34
11.7 Electrochemical impedance spectroscopy (EIS).....	35
12 Applied performance test methods.....	37
13 Test report.....	39
13.1 General.....	39
13.2 Report items.....	39
13.3 Test data description	40
13.4 Description of measurement conditions	40
13.5 Test cell parameter description	40
Annex A (Informative) Flow plate	42
Annex B (Informative) Cell component alignment	44
Annex C (Informative) Gas tightness test.....	45
Annex D (Informative) Initial conditioning.....	47
Annex E (Informative) Shutdown.....	49
Annex F (Informative) Reconditioning.....	50
Annex G (Informative) Polarization curve test supplement	51
Annex H (Normative) Applied performance tests	53
Annex I (Informative) Polarization curve test report.....	70
Annex J (Informative) Polarization curves in heliox	76
Annex K (Informative) Test report for subzero start test.....	77
Annex L (Informative) Start/stop cycling test supplement	78
Annex M (Informative) Load cycling supplement.....	79

Foreword

This document is drafted in accordance with GB/T 1.1-2020 "Directives for standardization - Part 1: Rules for the structure and drafting of standardizing documents".

This document replaces GB/T 28817-2012 "Single cell test methods for polymer electrolyte fuel cell (PEFC)". Compared with GB/T 28817-2012, the main technical changes are as follows:

- Add the terms and definitions of "Catalyst layer" and "Electrolyte" (see 3.4 and 3.9);
- Delete the content of gas diffusion layer (GDL) in the cell composition (see 5.3 of the 2012 edition);
- Modify the requirements for hydrogen purity (see 9.1.1; 9.1.1 of the 2012 edition);
- Delete limiting current test, diffusion gain test, gas stoichiometry test, temperature effect test, pressure effect test, humidity effect test, fuel composition test, start/stop cycling test, load cycling test, overload test, and impurity influence test (see 11.4~11.11 and 11.13~11.15 of the 2012 edition);
- Add "Applied performance test methods" (see Clause 12);
- Add "Applied performance tests", "Polarization curves in heliox", and "Test report for subzero start test" (see Annexes H, J, and K).

This document is identical to IEC/TS 62282-7-1:2017 "Fuel cell technologies - Part 7-1: Test methods - Single cell performance tests for polymer electrolyte fuel cells (PEFC)". The document type is adjusted from ISO technical specification to China's national standard.

The following editorial changes have been made to this document:

- Change the standard name to "Single cell test methods for polymer electrolyte fuel cell (PEFC)";
- To facilitate the use of the standard, add notes to Clause 1 "Scope";
- To facilitate the use of the standard, change Annex C's name "Leak test" to "Gas tightness test".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. The issuing authority of this document shall not be held responsible for identifying any or all such patent rights.

Single cell test methods for polymer electrolyte fuel cell (PEFC)

1 Scope

This document covers assemblies, test station setup, measuring instruments and measuring methods, performance test methods, and test reports for PEFC single cells.

Note: The polymer electrolyte fuel cell single cell fuel specified in this document is gaseous hydrogen.

This document is used for evaluating the following three items:

- a) the performance of membrane electrode assemblies (MEAs) for PEFCs;
- b) materials or structures of other components of PEFCs;
- c) the influence of impurities in fuel and in air on the cell performance.

Note: This document is only applicable to proton exchange membrane fuel cells. Other polymer electrolyte fuel cells can refer to the test content of this document.

2 Normative references

The contents of the following documents, through normative references in this text, constitute indispensable provisions of this document. Among them, for dated references, only the edition corresponding to that date applies to this document. For undated references, the latest edition (including all amendments) applies to this document.

ISO/TS 14687-2 Hydrogen fuel - Product specification - Part 2: Proton exchange membrane (PEM) fuel cell applications for road vehicles

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

Anode

Electrode (3.8) at which the oxidation of fuel (3.11) takes place.

This is an excerpt of the PDF (Some pages are marked off intentionally)

Full-copy PDF can be purchased from 1 of 2 websites:

1. <https://www.ChineseStandard.us>

- SEARCH the standard ID, such as GB 4943.1-2022.
- Select your country (currency), for example: USA (USD); Germany (Euro).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Tax invoice can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with download links).

2. <https://www.ChineseStandard.net>

- SEARCH the standard ID, such as GB 4943.1-2022.
- Add to cart. Only accept USD (other currencies - <https://www.ChineseStandard.us>).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with PDFs attached, invoice and download links).

Translated by: Field Test Asia Pte. Ltd. (Incorporated & taxed in Singapore. Tax ID: 201302277C)

About Us (Goodwill, Policies, Fair Trading...): <https://www.chinesestandard.net/AboutUs.aspx>

Contact: Wayne Zheng, Sales@ChineseStandard.net

Linkin: <https://www.linkedin.com/in/waynezhengwenrui/>

----- The End -----