

Translated English of Chinese Standard: GB/T 29055-2019

www.ChineseStandard.net → Buy True-PDF → Auto-delivery.

Sales@ChineseStandard.net

GB

NATIONAL STANDARD OF THE
PEOPLE'S REPUBLIC OF CHINA

ICS 29.045

H 82

GB/T 29055-2019

Replacing GB/T 29055-2012

**Multicrystalline Silicon Wafers for
Photovoltaic Solar Cell**

太阳能电池用多晶硅片

Issued on: June 4, 2019

Implemented on: May 1, 2020

Issued by: State Administration for Market Regulation;

**Standardization Administration of the People's Republic of
China.**

Table of Contents

Foreword	3
1 Scope	5
2 Normative References.....	5
3 Terms and Definitions	6
4 Requirements	6
5 Test Methods	8
6 Inspection Rules	9
7 Marking, Packaging, Transportation, Storage and Quality Certificate.....	10
8 Order Form (or contract) Content.....	11

Foreword

This Standard was drafted in accordance with the rules in GB/T 1.1-2009.

This Standard serves as a replacement of GB/T 29055-2012 *Multi-crystalline Silicon Wafer for Solar Cell*. In comparison with GB/T 29055-2012, apart from editorial modifications, the main technical changes are as follows:

- The scope of application is modified: “applicable to multicrystalline silicon wafers for photovoltaic solar cells produced by ingot multi-crystalline chips perpendicular to the direction of crystal growth” is modified into “applicable to casting multi-crystalline silicon wafers for photovoltaic solar cells (including monocrystalline silicon wafers)” (see Chapter 1; Chapter 1 in Version 2012).
- Normative references GB/T 1551 and SEMI MF 1535 are deleted; GB/T 30860, GB/T 30869; SJ/T 11627, SJ/T 11628, SJ/T 11630, SJ/T 11631, SJ/T 11632 and YS/T 28 are added (see Chapter 2; Chapter 2 in Version 2012).
- The definition of dense saw marks is deleted; the definition of saw marks and microcrack is added (see 3.1 and 3.2; 3.1 in Version 2012).
- The classification of side length is modified from 125 mm × 125 mm and 156 mm × 156 mm into 156.75 mm × 156.75 mm; it is recommended that the increase or decrease of the side length shall be integer multiples of 1 mm (see Table 1; Table 1 in Version 2012).
- The classification and requirements of dimensions are combined; the requirements for side length, thickness and allowable deviations are modified (see 4.1; Chapter 4 and Chapter 5 in Version 2012).
- The requirements for total thickness variation and curvature are modified (see 4.1; 5.2 in Version 2012).
- The requirements for carrier lifetime, interstitial oxygen content and substituted carbon content are modified (see 4.2.3 and 4.3; 5.3.3, 5.3.4 and 5.3.5 in Version 2012).
- The requirements for notches and microcracks are added to surface quality (see 4.4.1).
- The requirements for chipping defect are modified in surface quality (see 4.4.2; 5.1.2 in Version 2012).
- The requirements for color spots, edge defects, the number of grains, and dense saw marks in dimensions are deleted from surface quality (see 5.1.1, 5.1.3, 5.1.4 and 5.2 in Version 2012).

Multicrystalline Silicon Wafers for Photovoltaic Solar Cell

1 Scope

This Standard stipulates the requirements, test methods, inspection rules, marking, packaging, transportation, storage, quality certificate and order form (or contract) content of multicrystalline silicon wafers for photovoltaic solar cells (hereinafter referred to as silicon wafers).

This Standard is applicable to casting multi-crystalline silicon wafers (including monocrystalline silicon wafers).

2 Normative References

The following documents are indispensable to the application of this document. In terms of references with a specified date, only versions with a specified date are applicable to this document. In terms of references without a specified date, the latest version (including all the modifications) is applicable to this document.

GB/T 1550 *Test Methods for Conductivity Type of Extrinsic Semiconducting Materials*;

GB/T 2828.1-2012 *Sampling Procedures for Inspection by Attributes - Part 1: Sampling Schemes Indexed by Acceptance Quality Limit (AQL) for Lot-by-lot Inspection*;

GB/T 6616 *Test Methods for Measuring Resistivity of Semiconductor Wafers or Sheet Resistance of Semiconductor Films with a Noncontact Eddy-current Gauge*;

GB/T 6618 *Test Method for Thickness and Total Thickness Variation of Silicon Slices*;

GB/T 6619 *Test Method for Bow of Silicon Wafers*;

GB/T 14264 *Semiconductor Materials - Terms and Definitions*;

GB/T 29054 *Casting Multicrystalline Silicon Brick for Photovoltaic Solar Cell*;

GB/T 30860 *Test Methods for Surface Roughness and Saw Mark of Silicon Wafers for Solar Cells*;

GB/T 30869 *Test Method for Thickness and Total Thickness Variation of Silicon Wafers for Solar Cell*;

SJ/T 11627 *Online Test Methods for Resistivity of Silicon Wafers for Solar Cell*;

6616.

5.7 The test of surface quality (apart from microcracks and saw marks) shall comply with the stipulations in SJ/T 11631, or, be determined by the demand-side and the supply-side through negotiation.

5.8 The test of surface microcracks shall comply with the stipulations in SJ/T 11632.

5.9 The test of surface saw marks shall comply with the stipulations in GB/T 30860.

5.10 The examination of the maximum grain area ratio of monocrystalline silicon wafers shall be conducted under the lighting conditions of 430 lx ~ 650 lx, through visual inspection at a distance of 30 cm ~ 50 cm away from the silicon wafers and vertical to the surface of the silicon wafers.

6 Inspection Rules

6.1 Inspection and Inspection Acceptance

6.1.1 Products shall be inspected by the supply-side, which shall guarantee that product quality complies with the stipulations in this Standard and the order form (or contract). In addition, a quality certificate shall be filled out.

6.1.2 The demand-side shall inspect the received products in accordance with the stipulations in this Standard. When the inspection result does not comply with the stipulations in this Standard and the order form (or contract), this shall be proposed to the supply-side in the written form; settled by the demand-side and the supply-side through negotiation. Objections regarding dimensions or surface quality shall be proposed within 1 month upon receiving the products. Objections regarding other properties shall be proposed within 3 months upon receiving the products. If arbitration is needed, it shall be determined by the demand-side and the supply-side through negotiation.

6.2 Group Batch

Silicon wafers shall be submitted for acceptance inspection in batches. Each batch shall be constituted of silicon wafers of identical production process, and the same dimensions, conductivity type and electrical resistivity range.

6.3 Inspection Items

Inspection items of each batch of silicon wafers are shown in Table 3.

7.1.2 Silicon wafers shall be packed in boxes. The external side of each box shall indicate:

- a) Name and trademark of the supply-side;
- b) Name of product;
- c) Technical requirements of product;
- d) Quantity of Product;
- e) Marks or signs like “Handle with Care”, “Keep away from Moisture”, “Fragile” and “Number of Stacked Layers”.

7.2 Packaging, Transportation and Storage

7.2.1 The packaging of silicon wafers shall comply with the stipulations in YS/T 28, or, it may be determined by the demand-side and the supply-side through negotiation.

7.2.2 During the transportation, silicon wafers shall be loaded and unloaded with care; throwing of silicon wafers is strictly prohibited. Do not squeeze silicon wafers. In addition, measures shall be adopted to prevent from vibration and moisture.

7.2.3 Silicon wafers shall be stored in clean and dry environment.

7.3 Quality Certificate

- a) Name of the supply-side;
- b) Name of product;
- c) Quantity of product;
- d) Lot identification mark of product;
- e) Various inspection results and inspection department's inspection stamp;
- f) Serial No. of this Standard;
- g) Date of exit-factory.

8 Order Form (or contract) Content

Order form (or contract) of products listed in this Standard shall include the following content:

- a) Name of product;

This is an excerpt of the PDF (Some pages are marked off intentionally)

Full-copy PDF can be purchased from 1 of 2 websites:

1. <https://www.ChineseStandard.us>

- SEARCH the standard ID, such as GB 4943.1-2022.
- Select your country (currency), for example: USA (USD); Germany (Euro).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Tax invoice can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with download links).

2. <https://www.ChineseStandard.net>

- SEARCH the standard ID, such as GB 4943.1-2022.
- Add to cart. Only accept USD (other currencies - <https://www.ChineseStandard.us>).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with PDFs attached, invoice and download links).

Translated by: Field Test Asia Pte. Ltd. (Incorporated & taxed in Singapore. Tax ID: 201302277C)

About Us (Goodwill, Policies, Fair Trading...): <https://www.chinesestandard.net/AboutUs.aspx>

Contact: Wayne Zheng, Sales@ChineseStandard.net

Linkin: <https://www.linkedin.com/in/waynezhengwenrui/>

----- The End -----