Translated English of Chinese Standard: GB/T38184-2019

<u>www.ChineseStandard.net</u> → Buy True-PDF → Auto-delivery.

Sales@ChineseStandard.net

GB

NATIONAL STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

ICS 43.060.50

T 37

GB/T 38184-2019

Road vehicles - Spark plug heat rating classification and test method

(ISO/TR 15409:2002, Road vehicles - Heat rating of spark plugs, NEQ) 道路车辆 火花塞热值分级及其测定方法

Issued on: October 18, 2019 Implemented on: May 01, 2020

Issued by: State Administration for Market Regulation;

Standardization Administration of the People's Republic of

China.

Table of Contents

Foreword	3
1 Scope	1
т осорс	_
2 Normative references	4
3 Terms and definitions	4
4 Heat rating method and classification	5
Annex A (informative) Conversion between boost pressure and IMEP value	9

Road vehicles - Spark plug heat rating classification and test method

1 Scope

This Standard specifies spark plug heat rating classification and test method of ignition engines of M, N, L road vehicles.

This Standard is applicable to ignition engine spark plug.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

GB/T 6791, Road vehicles - Spark-plugs and their cylinder head housing - Basic characteristics and dimensions (GB/T 6791-2012, ISO 28741:2009, MOD)

SAE J2203, SAE17.6 Cubic Inch Spark Plug Rating Engine

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 heat rating

On the special heat rating machine, according to the specific working conditions, measure the thermal characteristics of spark plug.

3.2 heat rating value

The result of heat rating that is expressed by the indicated mean effective pressure (IMEP).

NOTE: The unit is kPa or psi.

3.3 heat rating classification

Classify the heat rating value according to intervals. Use specific Arabic

- Fuel injection timing: cut off the fuel injection after the top dead center of the intake stroke (60±5)°;
- Fuel flow rate: (2±1) L/min;
- Fuel injection pump: the fuel injection pump has a return hole pressure of (100±10) kPa, or a suitable EFI system;
- Fuel injection pressure: the minimum shall be 5170kPa. If using an EFI system, the fuel pressure needs to ensure adequate fuel supply and atomization;
- Mixing gas concentration: the mixing gas concentration when the hot plug temperature reaches the highest value;
- Intake air temperature: (107±3)°C;
- Intake humidity: per 0.453kg of dry air contains (0.0048±0.0016)kg of water;
- Coolant: choose the appropriate coolant that shall have good anti-fouling function:
- Water jacket inlet water temperature:
 - (107±3) °C when it is with pressure fan cooling control;
 - (88±1)°C when it is with embedded cylinder head engine;
- Coolant flow rate: (20±2)L/min;
- Crankcase engine oil: SAE60 or equivalent additive-free aircraft oil;
- Engine oil pressure:
 - (650±40)kPa at the main bearing;
 - over 100kPa at the valve device;
- Engine oil temperature: (88±5)°C;
- Engine oil quantity: the engine oil level is located in the middle of the oil sight glass.

4.2 Heat rating

- **4.2.1** The pressure point of pre-ignition occurs is obtained by the following steps:
 - a) The boost pressure is gradually increased in an increment of 13.5kPa (4 inHg) till the pre-ignition occurs. It can be indicated by a rapid rise in the

This is an excerpt of the PDF (Some pages are marked off intentionally)

Full-copy PDF can be purchased from 1 of 2 websites:

1. https://www.ChineseStandard.us

- SEARCH the standard ID, such as GB 4943.1-2022.
- Select your country (currency), for example: USA (USD); Germany (Euro).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Tax invoice can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with download links).

2. https://www.ChineseStandard.net

- SEARCH the standard ID, such as GB 4943.1-2022.
- Add to cart. Only accept USD (other currencies https://www.ChineseStandard.us).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with PDFs attached, invoice and download links).

Translated by: Field Test Asia Pte. Ltd. (Incorporated & taxed in Singapore. Tax ID: 201302277C)

About Us (Goodwill, Policies, Fair Trading...): https://www.chinesestandard.net/AboutUs.aspx

Contact: Wayne Zheng, Sales@ChineseStandard.net

Linkin: https://www.linkedin.com/in/waynezhengwenrui/

---- The End -----