QC/T 1060-2017

Translated English of Chinese Standard: QC/T1060-2017

<u>www.ChineseStandard.net</u> → Buy True-PDF → Auto-delivery.

<u>Sales@ChineseStandard.net</u>

QC

AUTOMOBILE INDUSTRY STANDARD OF THE PEOPLE'S REPUBLIC OF CHINA

ICS 43.160

T 31

QC/T 1060-2017

Hexalobular Bolts with Flange for Automobile

汽车用外六角花形法兰面螺栓

Issued on: January 09, 2017 Implemented on: July 01, 2017

Issued by: Ministry of Industry and Information Technology of PRC

QC/T 1060-2017

Table of Contents

Announcement	3
Foreword	9
1 Scope	10
2 Normative References	10
3 Type and Dimension	11
4 Technical Conditions	16
5 Product Number	17

www.ChineseStandard.net --> Buy True-PDF --> Auto-delivered in 0~10 minutes.

QC/T 1060-2017

		T		
262	QC/T 1059-2017	Automobile cab torsion bar type flip and lock mechanism		2017-07-01
263	QC/T 32-2017	Test methods of air cleaners for automobiles	QC/T 32-2006	2017-07-01
264	QC/T 597.1-2017	Threaded fasteners - Pre - coated adhesive - Technical requirements - Part 1: Microcapsule locking layer	QC/T 597-2017	2017-07-01
265	QC/T 597.2-2017	Threaded fasteners - Pre - coated adhesive - Technical requirements - Part 2: Polyamide locking layers		2017-07-01
266	QC/T 1-2017	Basic requirements for automobile products drawing	QC/T 1-1992	2017-07-01
267	QC/T 2-2017	Drawing format of automobiles	QC/T 2-1992	2017-07-01
268	QC/T 3-2017	Completeness of drawings and design documents about automobiles	QC/T 3-1992	2017-07-01
269	QC/T 4-2017	Method for change about product drawing and design document regulations of automobile	QC/T 4-1992	2017-07-01
270	QC/T 5-2017	Standardization examination for automobile product drawings and design documents	QC/T 5-1992	2017-07-01
271	QC/T 18-2017	Automobile products drawing and design documents - Terms	QC/T 18-1992	2017-07-01
272	QC/T 340-2017	Hexagon flange bearing surface with tooth bolt	QC/T 340-1999	2017-07-01

www.ChineseStandard.net --> Buy True-PDF --> Auto-delivered in 0~10 minutes.

QC/T 1060-2017

283	QC/T 1067.1- 2017	Road Vehicles - Connections for On- board Electrical Wiring Harnesses - Part 1: Definitions, Test Methods and General Performance Requirements (the Automobile Part)	QC/T 417.1- 2001	2017-07-01
284	QC/T 1067.2- 2017	Automotive connectors for electrical harnesses and electrical equipment - Part 2: Types and dimensions of plug terminals	QC/T 417.3- 2001 QC/T 417.4- 2001 QC/T 417.5- 2001	2017-07-01
285	QC/T 1067.3- 2017	Automotive connectors for electrical harnesses and electrical equipment - Part 3: Wire connector type, size and special requirements	QCn 29010- 1991 QCn 29011- 1991 QCn 29013- 1991	2017-07-01
286	QC/T 1068-2017	Asynchronous drive motor system for electric vehicles		2017-07-01
287	QC/T 1069-2017	Permanent magnet synchronous drive motor system for electric vehicles		2017-07-01
288	QC/T 1070-2017	Technical specifications of automobile parts remanufactured products		2017-07-01
289	QC/T 1071-2017	Test method for steady state flow characteristics of automotive engine cylinder head airways		2017-07-01

Hexalobular Bolts with Flange for Automobile

1 Scope

This Standard specifies the hexalobular bolts with flange for automobile with thread specification of M5~M20, performance level of Level-8.8 and Level-10.9, the product grade of Grade-A and Grade-B. Grade-A is used for bolt with *I*≤10*d* or *I*≤150mm (as per whichever is smaller); while Grade-B is used for bolt with *I*>10*d* or *I*>150mm (as per whichever is smaller).

2 Normative References

The following documents are essential to the application of this document. For the dated documents, only the versions with the dates indicated are applicable to this document; for the undated documents, only the latest version (including all the amendments) are applicable to this document.

GB/T 2 Fasteners – Ends of Parts with External Thread

GB/T 90.1 Fasteners – Acceptance Inspection

GB/T 90.2 Fasteners - Marking and Packaging

GB/T 193 General Purpose Screw Threads – Diameters and Pitches

GB/T 3098.1 Mechanical Properties of Fasteners - Bolts, Screws and Studs

GB/T 3103.1 Tolerances for Fasteners - Bolts, Screws, Studs and Nuts

GB/T 5779.1 Fasteners - Surface Discontinuities - Bolts, Screws and Studs for General Requirements

GB/T 9145 General Purpose Metric Screw Threads - Limits of Sizes for the Screw Threads of Medium Quality and Preferable Plan

QC/T 326 Coding Rules for Automotive Standardized Parts

QC/T 625 Metallic Coatings and Conversion Coatings for Automobiles

QC/T 6189 Hexalobular Type-E for Fasteners

This is an excerpt of the PDF (Some pages are marked off intentionally)

Full-copy PDF can be purchased from 1 of 2 websites:

1. https://www.ChineseStandard.us

- SEARCH the standard ID, such as GB 4943.1-2022.
- Select your country (currency), for example: USA (USD); Germany (Euro).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Tax invoice can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with download links).

2. https://www.ChineseStandard.net

- SEARCH the standard ID, such as GB 4943.1-2022.
- Add to cart. Only accept USD (other currencies https://www.ChineseStandard.us).
- Full-copy of PDF (text-editable, true-PDF) can be downloaded in 9 seconds.
- Receiving emails in 9 seconds (with PDFs attached, invoice and download links).

Translated by: Field Test Asia Pte. Ltd. (Incorporated & taxed in Singapore. Tax ID: 201302277C)

About Us (Goodwill, Policies, Fair Trading...): https://www.chinesestandard.net/AboutUs.aspx

Contact: Wayne Zheng, Sales@ChineseStandard.net

Linkin: https://www.linkedin.com/in/waynezhengwenrui/

---- The End -----